

L Number	Hits	Search Text	DB	Time stamp
-	296	scan\$4 adj probe same condition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 11:36
-	296	nano\$5 near3 embed\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 12:00
-	27714	tip near3 open\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 12:01
-	3	(tip near3 open\$3) AND (scan\$4 adj probe same condition\$3) AND (nano\$5 near3 embed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 15:25
-	8	US-5038434-\$.DID. OR US-5548117-\$.DID. OR US-5838005-\$.DID. OR US-5686207-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 15:26
-	7	US-5038434-\$.DID. OR US-5548117-\$.DID. OR US-5838005-\$.DID. OR US-5686207-\$.DID. AND condition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 15:29
-	48	scan\$4 adj probe AND 204/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 18:46
-	44	scan\$4 adj probe AND 205/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 18:47
-	10	(scan\$4 adj probe AND 204/\$.ccls.) AND (scan\$4 adj probe AND 205/\$.ccls.) AND condition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/20 18:47
-	2380	scan\$4 adj probe AND condition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 17:56
-	629	scan\$4 adj probe AND condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 17:56
-	333	scan\$4 adj probe AND condition\$3 AND automatic\$4 AND tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 17:57
-	19	scan\$4 adj probe AND condition\$3 AND automatic\$4 AND tip AND longitudinal adj axis	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:00
-	1	scan\$4 adj probe AND condition\$3 AND automatic\$4 AND tip AND longitudinal adj axis not condition	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:18
-	92	scan\$4 adj probe AND conditioning	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:18
-	0	scan\$4 adj probe AND conditioning and automatically AND nano?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:19

-	42	scan\$4 adj probe AND conditioning and automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:20
-	9	scan\$4 adj probe AND conditioning and automatically AND embedded	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:23
-	6	scan\$4 adj probe AND conditioning and automatically AND nanometer	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:27
-	2	scan\$4 adj probe SAME conditioning SAME automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:30
-	23605	conditioning SAME apparatus	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:44
-	1093	conditioning SAME apparatus and probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:32
-	158	conditioning SAME apparatus and probe AND scanning	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:32
-	4	conditioning SAME apparatus and probe AND scanning AND automatically AND longitudinal near3 axis	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:33
-	52	conditioning SAME apparatus and probe AND scanning AND automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:34
-	28	conditioning SAME apparatus AND scanning adj probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:47
-	2	conditioning near3 scanning adj probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:48
-	2	conditioning near5 scanning adj probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:48
-	2	conditioning near10 scanning adj probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/08/26 18:48
-	440	probe adj tip same automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 12:16
-	237	probe adj tip same automatic\$4 AND condition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 12:17
-	50	probe adj tip same automatic\$4 AND condition\$3 AND reposition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 14:17

-	1	probe adj tip same automatic\$4 AND conditioning AND reposition\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 14:19
-	14	probe adj tip same automatic\$4 AND conditioning	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 14:40
-	0	scan\$4 adj probe adj tip same conditioning	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 14:41
-	147	nanometer same conditioning	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 14:42
-	13	nanometer same conditioning AND tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 15:18
-	2	US-5908562-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 15:25
-	8	US-5038434-\$.DID. OR US-5548117-\$.DID. OR US-5838005-\$.DID. OR US-5686207-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/13 15:28
-	61	scan\$4 adj probe same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 11:58
-	88	nanoscale same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 11:59
-	0	nanoscale near3 tip same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 11:59
-	1	nanometer?scale near3 tip same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:00
-	1	nanometer?scale adj tip same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:01
-	1	nanometer?scale adj open\$3 same condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:02
-	1	nanometer?scale adj tip and condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:03
-	1	nanometer?scale adj tip and nanometer?scale adj open\$3 AND condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:08
-	324623	probe adj tip NEAR3 nanometer near3j open\$3 AND condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:09

-	0	probe adj tip NEAR3 nanometer AND condition\$3 near3 automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:16
-	1	probe adj tip NEAR3 condition\$3 near3 automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:27
-	24	tip NEAR3 condition\$3 near3 automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:30
-	0	nano? NEAR3 condition\$3 near3 automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:31
-	579537	condition\$3 AND automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:31
-	9366	probe adj tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:32
-	1612	(condition\$3 AND automatic\$4) AND (probe adj tip)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:32
-	47343	scan\$4 AND embed\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:33
-	165	((condition\$3 AND automatic\$4) AND (probe adj tip)) AND (scan\$4 AND embed\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:34
-	239910	solid near5 material	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:35
-	10	((((condition\$3 AND automatic\$4) AND (probe adj tip)) AND (scan\$4 AND embed\$3)) AND (solid near5 material))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:38
-	286	first near3 medium same second near3 medium AND conditioning and automatically	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:40
-	2	first near3 medium same second near3 medium AND conditioning and automatically and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:44
-	1	first near3 medium same second near3 medium AND conditioning near3 automatically and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:45
-	5	conditioning near3 automatically and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 12:51
-	2	US-5908562-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 13:54

-	108	216/\$.ccls. and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 13:55
-	108	216/\$.ccls. and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:55
-	6	216/\$.ccls. and probe near3 tip AND reacting	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:43
-	7107	conditioning adj apparatus	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:43
-	6	conditioning adj apparatus AND probe near2 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:47
-	16	conditioning WITH probe near2 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:49
-	8	conditioning WITH probe near2 tip and automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:49
-	0	conditioning WITH automatic\$4. and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:56
-	0	conditioning SAME automatic\$4. and probe near3 tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:57
-	0	conditioning SAME automatic\$4. and nanometer?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:57
-	0	conditioning AND automatic\$4. and nanometer?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:58
-	0	conditioning AND automatic\$4. and opening	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:58
-	0	conditioning AND automatic\$4. and aperture	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:59
-	0	conditioning AND automatic\$4. and probe adj tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 14:59
-	0	conditioning AND automatic\$4. and probe adj tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:00
-	146	conditioning AND automatic\$4 and probe adj tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:00

-	0	conditioning AND automatic\$4 and probe adj tip AND nano?	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:00
-	146	conditioning AND automatic\$4 and probe adj tip	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:12
-	1	(first adj medium WITH solid adj medium) AND (positioning same scanning adj probe)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:15
-	4	first adj medium WITH solid adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:18
-	1	first adj medium WITH solid adj medium AND PROBE	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:16
-	1	first adj medium SAME solid adj medium SAME positioning AND probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:24
-	128	first WITH medium SAME solid SAME reacting	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:28
-	9	first WITH medium SAME solid SAME reacting AND probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:31
-	21	first SAME medium SAME solid SAME reacting AND probe	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/14 15:31